## SECTION 1405
## INSTALLATION OF WALL COVERINGS

*Add new Section 1405.18 'Exterior insulation finish systems' as follows:

**1405.18 Exterior insulation finish systems.** Exterior Insulation Finish Systems (EIFS) shall be installed in accordance with the manufacturer's ICC Evaluation Report criteria and manufacturer's installation and application instructions.
(Effective January 1, 2007)

*Add new Section 1405.19 'Installation of wall coverings' as follows:

**1405.19 Installation of wall coverings.** Clearance between wall cladding, except masonry veneer, shall be at least 6 inches (152 mm) and a 2-inch (51 mm) clear inspection space above paved areas must be visible below cladding down to the final grade of the top of the soil which is immediately adjacent to the structure.
(Effective January 1, 2007)

# CHAPTER 15
# ROOF ASSEMBLIES AND ROOFTOP STRUCTURES

## SECTION 1507
## REQUIREMENTS FOR ROOF COVERINGS

*Revise Section 1507.4.4 'Attachment' to read as follows:

**1507.4.4 Attachment.** Metal roof panels shall be secured to the supports in accordance with the approved manufacturer's fasteners. In the absence of manufacturer recommendations, the following applicable fasteners shall be used:

1. Galvanized fasteners shall be used for steel roofs.
2. 300 series stainless-steel fasteners shall be used for copper roofs.
3. Stainless-steel fasteners are acceptable for all types of metal roofs.
4. Aluminum fasteners shall be used for aluminum roofing.

(Effective January 1, 2007)

# CHAPTER 17
# STRUCTURAL TESTS AND SPECIAL INSPECTIONS

## SECTION 1701
## GENERAL

*Add new Section 1701.4 'Guidelines' as follows:

**1701.4 Guidelines.** The local building official or authority having jurisdiction shall be authorized to use ACEC/SEAOG SI GL 01-03/16/2006, Georgia Special Inspections Guidelines,

in part or in whole for the purposes of implementing and enforcing the provisions of Chapter 17, 'Structural Tests and Special Inspections', and/or establishing a Special Inspections program for their jurisdiction.
(Effective January 1, 2007)

## SECTION 1703
## APPROVALS

*Rename Section 1703.7 'Evaluation and follow-up inspection services' as 'Evaluation and follow-up inspection services for "fabricated assemblies."'
(Effective January 1, 2007)

## SECTION 1704
## SPECIAL INSPECTIONS

*Revise first paragraph of Section 1704.1 'General' to read as follows:

**1704.1 General.** Where application is made for construction as described in this section, the owner or the registered design professional in responsible charge acting as the owner's agent shall employ one or more special inspectors to provide inspections during construction on the types of work listed under Section 1704. The special inspector shall be qualified in accordance with Table 1704.1. These inspections are in addition to the inspections specified in Section 109.
(Effective January 1, 2007)

*Add new Table 1704.1 'Minimum Special Inspector Qualifications'
See pages 15 through 17.
(Effective January 1, 2007)

*Revise exception #2 to Section 1704.1 'General' to read as follows:

**1704.1 General.**
**Exception # 2:**
Special inspections are not required for buildings unless the design involves the practice of professional engineering or architecture as defined by applicable state statutes and regulations governing the professional registrations and certification of engineers or architects, unless specifically exempted in other sections of this code.
(Effective January 1, 2007)

## CHAPTER 18
## SOILS AND FOUNDATIONS

## SECTION 1802
## FOUNDATION AND SOILS INVESTIGATIONS

*Delete exception to Section 1802.2 'Where required.'
(Effective January 1, 2007)